

# AquaFUZE



## ERASE LOW FOAM SPRAY ADJUVANT

### PRINCIPAL FUNCTIONING AGENTS

Sulfacarbamide, nonionic surfactants,  
humectants and water conditioning  
agents.....80%  
Constituents ineffective as spray  
adjuvant.....20%  
Total..... 100%

May be corrosive to metals. Harmful if swallowed. Causes severe skin burn and eye damage. Causes serious eye damage. May be harmful if inhaled. Read label before use. Keep container tightly closed. Keep only in original container. Do not breathe dust/fume/gas/mist/ vapors/ spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Absorb spillage to prevent material damage. Store in a dry place. Store in a well-ventilated place. Keep cool. Store locked up. Store in a corrosive-resistant HDP, stainless steel or polypropylene container with a resistant inner liner. Dispose of contents in container to an approved waste disposal facility in accordance with all local/ regional/ national/ international regulations.

**BEFORE USING THIS PRODUCT READ ALL PRECAUTIONS, DIRECTIONS FOR USE AND CONDITIONS OF SALE.**

### FIRST AID

**EYE CONTACT - IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. Have the product container with you when calling a poison control center or doctor, or going for treatment. If eye irritation persists: Get medical advice or attention.

**SKIN CONTACT - IF ON SKIN OR CLOTHING:** Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes. Call a poison center, doctor, chemical manufacturer, importer, or distributor to specify the appropriate source of emergency medical advice. If skin irritation occurs: Get medical advice or attention.

**INGESTION - IF SWALLOWED:** Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person. Call a poison center, doctor, chemical manufacturer, importer, or distributor to specify the appropriate source of emergency medical advice if you feel unwell.

**INHALATION - IF INHALED:** If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

### MADE IN AMERICA

**LOCATIONS:** Winter Garden, Fort Pierce, Okeechobee, LaBelle, East Palatka, Homestead, Florida

**Net Contents: 2.5 Gallons  
(9.46 liters)**



**DANGER: KEEP OUT OF REACH OF CHILDREN**

# AquaFUZE

## GENERAL INFORMATION

ERASE is intended to improve performance by enhancing penetration of the leaf surface of many fungicides, herbicides, insecticides, defoliants, desiccants, and miticides. ERASE reduces the adverse effects that alkaline waters have on the spray solution and provides additional wetting of the sprayed foliage.

## USE RATES

- Add 1/4 to 1 pint of ERASE to 100 gallons (125 to 500 mL per 400 liters) of spray solution. The rate will depend on the water quality; the harder the water, the more ERASE will be required. Additional spreader-sticker may be added at the rate of 1 pint per 100 gallons (500 mL per 400 liters) to assure adequate coverage. For use with non-selective, postemergent herbicides, aquatic herbicides, and to enhance the contact effect of certain pre and post-emergent herbicides unless otherwise specified by the manufacturer.
- Mix at the rate of 2 to 3 pints per 100 gallons (1 - 1.5 liters per 400 liters) of total spray for use with products such as diquat, diuron, or glyphosate.
- Mix at the rate of 1/2 to 1 pints per 100 gallons (250 mL - 500 mL per 400 liters) of total spray for use with products such as: Banvel®, bromoxynil, Garlon®, Landmaster®, Tordon®, and 2,4-D. Do not lower the pH of these mixtures below 4.0 as precipitates may form. Use high rate only for very alkaline water.
- In tank mixes of phenoxy-like products and glyphosate, add ERASE to the water, followed by the glyphosate and phenoxy last. Where rates of ERASE are below 1 pint per 100 gallons (500 mL per 400 liters), the addition of 1 pint per 100 gallons (500 mL per 400 liters) of a good quality non-ionic surfactant will assure adequate wetting.
- For use with defoliants such as DEF®, Folex®, DROPP®, diquat and chlorates. Mix at the rate of 2-3 pints per 100 gallons (1 - 1.5 liters per 400 liters) of total spray solution. Use higher rates in more alkaline waters.

**NEVER MIX UNDILUTED CHLORATES WITH ERASE AS AN EXPLOSION MAY RESULT.**

Lannate® is a registered trademark of Dupont Crop Protection, Guthion® is a registered trademark of Makhteshim Agan of North America, Banvel® is a registered trademark of Arysta LifeScience North America, Garlon® and Tordon® are registered trademarks of Dow Agrosciences, Landmaster® is a registered trademark of Monsanto, DEF® and DROPP® are registered trademarks of Bayer CropSciences, Folex® is a registered trademark of Amvac Chemical.

## DIRECTIONS FOR USE

For use with insecticides, fungicides, and miticides where performance may be affected when mixed with alkaline spray waters. Carbamates and organophosphates are generally subject to degradation in the spray tank and plant leaf surface due to alkaline hydrolysis, and benefit from acidulating the spray water. Examples of products that may benefit from ERASE include

captan, carbaryl, chlorothalonil, chlorpyrifos, dicofol, dimethoate, Guthion®, Lannate®, malathion, parathion, phosmet and trichlorfon. ERASE should be added to the spray water with adequate agitation after the addition of the herbicide or desiccant. When the pesticide manufacturer provides guidelines on spray water pH adjuvants, they are to be followed.

**NOTE: DO NOT USE ERASE WITH PESTICIDES THAT ARE SENSITIVE TO ACIDIC DEGRADATION, SUCH AS SULFONYL UREA HERBICIDES, OR WITH COPPER FUNGICIDES.**

## STORAGE AND DISPOSAL

**Storage:** Store in a corrosive-resistant HDP, stainless steel or polypropylene container with a resistant inner liner. Store in a dry place. Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

**Disposal:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org).  
**NOTE:** Concentrated ERASE is corrosive to nylon, aluminum, leather and copper alloy, such as brass. Wash spillage off thoroughly and neutralize with material such as baking soda, soda ash or household ammonia. Never allow ERASE to come in contact with undiluted chlorate desiccant as an explosion may result.

Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29 CFR 1910.146. The use of respiratory protection is advised when concentrations exceed any established exposure limits. Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice. "Empty" containers retain residue (liquid and/or vapor) and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death. "Empty" drums should be completely drained, properly bunged, and promptly shipped to the supplier or a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations. Keep container tightly closed. Use and store this material in cool, dry, well-ventilated areas away from heat and all sources of ignition. Store in only approved containers. Keep away from any incompatible material. Protect container(s) against physical damage.

## CONDITIONS OF SALE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.



DIAMOND-R.COM