

# AquaFUZE



## SILTRATE

NONIONIC ORGANOSILICONE  
SURFACTANT

### PRINCIPAL FUNCTIONING AGENTS

Silicone and other nonionic surfactants  
and humectants.....100%  
Total..... 100%

All ingredients are exempt from  
tolerance under 40 CFR 180.

May be harmful if swallowed. Causes skin  
irritation. Causes serious eye irritation.  
May be harmful if inhaled. Read label  
before use. Keep container tightly closed.  
Keep only in original container. Avoid  
breathing dust/fume/gas/mist/vapors/-  
spray. Wash hands thoroughly after  
handling. Do not eat, drink, or smoke  
when using this product. Wear protective  
gloves/ protective clothing/ eye  
protection/ face protection.

**BEFORE USING THIS PRODUCT READ  
ALL PRECAUTIONS, DIRECTIONS FOR  
USE AND CONDITIONS OF SALE.**

### FIRST AID

**EYE CONTACT - IF IN EYES:** Rinse  
cautiously with water for several  
minutes. Remove contact lenses if  
present and easy to do then continue  
rinsing. Have the product container with  
you when calling a poison control  
center or doctor, or going for treatment.  
If eye irritation persists: Get medical  
advice or attention.

**SKIN CONTACT - IF ON SKIN OR  
CLOTHING:** Take off contaminated  
clothing and wash it before reuse. Wash  
with plenty of soap and water for  
several minutes. Call a poison center,  
doctor, chemical manufacturer,  
importer, or distributor to specify the  
appropriate source of emergency  
medical advice. If skin irritation occurs:  
Get medical advice or attention.

**INGESTION - IF SWALLOWED:** Unless  
advised otherwise by a poison control  
center or doctor, have person rinse mouth  
with water, if able. Do not give anything  
by mouth to an unconscious person. Call  
a poison center, doctor, chemical  
manufacturer, importer, or distributor to  
specify the appropriate source of  
emergency medical advice if you feel  
unwell.

**INHALATION - IF INHALED:** If breathing is  
difficult, remove person to fresh air and  
keep at rest in a position comfortable for  
breathing. If person is not breathing, call  
911 or an ambulance, and then give  
artificial respiration, preferably mouth to  
mouth if possible.

### MADE IN AMERICA

**LOCATIONS:** Winter Garden, Fort Pierce,  
Okeechobee, LaBelle, East Palatka,  
Homestead, Florida

**Net Contents: 1 Gallon (3.785 liters)**



**WARNING: KEEP OUT OF REACH OF CHILDREN**

# AquaFUZE

## DIRECTIONS FOR USE

SILTRATE is an effective organosilicone surfactant with many pesticides and fertilizers when used as directed.

APPLICATION	RATE PER GALLON (tsp)	RATE PER 5 GALLONS (ounces)
Ground	1 to 4	1 to 4
Aerial	1 to 2	1 to 2
Aquatic	1/2 to 2	1/2 to 2
General Wetter / Spreader	1/2 to 1	1/2 to 1

For increased water penetration of hard to wet soils and the uniform distribution of applied moisture, follow recommended uses:

Lawns and Turf: 0.05% - 0.125% v/v concentration.

Greens and Tees: 0.05% - 0.125% v/v concentration.

NOTE: The application rates on this label are based on pesticide labels that recommend the use of a nonionic surfactant. Rates of this product may be

increased or decreased for optimum results. Follow pesticide labeling for proper recommendations.

Before using SILTRATE where a nonionic surfactant may not be recommended the user or applicator advisor must have experience with the combination or must have conducted a phytotoxicity trial to ensure safety and jar testing to ensure compatibility.

## MIXING

Prior to pesticide application clean mixing and application equipment according to pesticide label directions. To minimize foaming fill spray tank 2/3 or 3/4 full of water and begin agitation. If foaming is anticipated the addition of an antifoaming agent should be added before pesticides, nutrients, or SILTRATE.

If foam is still not properly controlled, more antifoaming agent may be added later.

Add pesticides and/or fertilizers as directed by label or in the following sequence:

A. Micronutrients and fertilizers, B. Dry Flowables and dispersible granules, C. Flowables, D. Water soluble pesticides, E. Emulsifiable concentrates. Continue agitation and add SILTRATE, when completed, reduce agitation and allow to mix for 1 to 2 minutes. While under minimal agitation, continue filling tank and allow to mix for 10-15 minutes prior to application.

NOTE: For optimum results, spray mixes containing SILTRATE should be applied within 36 hours.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F. **Disposal:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org).

## CONDITIONS OF SALE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.



DIAMOND-R.COM